

PUBMED RÉSUMÉ VISUEL




Bibliothèque HESAV
Août 2022

Hes·so
Haute Ecole Spécialisée
de Suisse occidentale

0. AVANT DE COMMENCER



- Penser à se connecter sur son compte NCBI afin de conserver son activité récente et les sélections d'articles



- Créer un compte personnel Pubmed si ce n'est pas déjà fait (cf. diapositives suivantes)



0. AVANT DE COMMENCER – CRÉER UN COMPTE

- Si vous avez déjà un compte Google ou ORCID, vous pouvez l'utiliser.
- Autrement, en cliquant sur more login options, vous pouvez vous connecter avec votre login Switch edu-ID (= même login que pour Cyberlearn)
- Entrez HES- dans la barre de recherche.
- Cliquer sur HES-SO - University of Applied Sciences Western Switzerland




- Ensuite, connectez-vous comme d'habitude avec votre login Switch edu-ID

1. ACCÉDER AU THÉSAURUS MESH



2. RECHERCHER UN DESCRIPTEUR



NCBI Resources How To Sign in to NCBI


MeSH MeSH Search Limits Advanced Help

COVID-19 is an emerging, rapidly evolving situation.
Get the latest public health information from CDC: <https://www.coronavirus.gov>.
Get the latest research from NIH: <https://www.nih.gov/coronavirus>.
Find NCBI SARS-CoV-2 literature, sequence, and clinical content: <https://www.ncbi.nlm.nih.gov/sars-cov-2/>.

MeSH

MeSH (Medical Subject Headings) is the NLM controlled vocabulary thesaurus used for indexing articles for PubMed.

3. SÉLECTIONNER LE DESCRIPTEUR DANS LA LISTE



NCBI Resources How To

MeSH MeSH nausea Create alert Limits Advanced

COVID-19 is an emerging, rapidly evolving situation.
Get the latest public health information from CDC: <https://www.coronavirus.gov>.
Get the latest research from NIH: <https://www.nih.gov/coronavirus>.
Find NCBI SARS-CoV-2 literature, sequence, and clinical content: <https://www.ncbi.nlm.nih.gov/sars-cov-2/>.

Summary - Send to: -

Search results

Items: 4

- Nausea**
 1. An unpleasant sensation in the stomach usually accompanied by the urge to vomit. Common causes are early pregnancy, sea and motion sickness, emotional stress, intense pain, food poisoning, and various enteroviruses.
- Postoperative Nausea and Vomiting**
 2. Emesis and queasiness occurring after anesthesia.
Year introduced: 1999
- Hyperthermia, Cutaneous, With Headaches And Nausea [Supplementary Concept]**
 3. Date introduced: November 5, 2012
- metoclophen-modified nausea suppository [Supplementary Concept]**
 4. drug combination used to treat **nausea** in cancer patients; consists of metoclopramide, haloperidol, lorazepam, benztropine mesylate, silica gel, & fatty base
Date introduced: December 3, 1991

4. CONSULTER LA NOTICE DU DESCRIPTEUR

The screenshot shows the MeSH interface for the term 'Nausea'. At the top, there is a navigation bar with 'MeSH' and a search box. Below the search bar, there are options for 'Limits' and 'Advanced'. The main content area is titled 'Nausea' and includes a definition: 'An unpleasant sensation in the stomach usually accompanied by the urge to vomit. Common causes are early pregnancy, sea and motion sickness, emotional stress, intense pain, food poisoning, and various enteroviruses.' Below the definition, there are 'PubMed search builder options' and a 'Subheadings' section. The subheadings are organized into three columns of checkboxes, including categories like 'analysis', 'anatomy and histology', 'blood', 'cerebrospinal fluid', 'chemically induced', 'classification', 'complications', 'diagnosis', 'diagnostic imaging', 'diet therapy', 'drug therapy', 'economics', 'embryology', 'enzymology', 'epidemiology', 'ethnology', 'etiology', 'genetics', 'history', 'immunology', 'metabolism', 'microbiology', 'mortality', 'nursing', 'organization and administration', 'parasitology', 'pathology', 'physiology', 'physiopathology', 'prevention and control', 'psychology', 'rehabilitation', 'statistics and numerical data', 'surgery', 'therapy', 'urine', 'veterinary', and 'virology'. There are also checkboxes for 'Restrict to MeSH Major Topic' and 'Do not include MeSH terms found below this term in the MeSH hierarchy'. The page also displays 'Tree Number(s): C23 888 821.712', 'MeSH Unique ID: D009325', and a 'See Also' section with links to 'Antiemetics' and 'Emetics'. At the bottom, there are links for 'All MeSH Categories', 'Diseases Category', 'Pathological Conditions, Signs and Symptoms', and 'Signs and Symptoms'.

5. RECHERCHER LE DESCRIPTEUR DANS PUBMED

This screenshot shows the same MeSH page for 'Nausea' as in the previous image, but with a 'PubMed Search Builder' overlay on the right side. The overlay includes a search box, an 'Add to search builder' button (highlighted with a green arrow), and a 'Search PubMed' button. Below the search builder, there is a 'Related information' section with links to 'PubMed', 'PubMed - Major Topic', 'Clinical Queries', 'NLM MeSH Browser', and 'MedGen'. At the bottom of the overlay, there is a 'Recent Activity' section with a 'Turn Off' button and a 'Clear' button. The 'Recent Activity' section lists several search results: 'Nausea' (MeSH), 'nausea (4)' (MeSH), '"Acupuncture Therapy"[Mesh:noexp] (14357)' (PubMed), 'Acupuncture Therapy' (MeSH), and 'acupuncture (5)' (MeSH). A green arrow also points to the 'Restrict to MeSH Major Topic' checkbox in the main content area.

6. LANCER LA RECHERCHE DANS PUBMED

NCBI Resources How To Sign in to NCBI

MeSH MeSH Search Limits Advanced Help

Full ▾ Send to: ▾ PubMed Search Builder
"Nausea" [Mesh:NoExp]

Add to search builder AND ▾
Search PubMed [YouTube Tutorial](#)

Nausea
An unpleasant sensation in the stomach usually accompanied by the urge to vomit. Common causes are early pregnancy, sea and motion sickness, emotional stress, intense pain, food poisoning, and various enteroviruses.

PubMed search builder options
[Subheadings:](#)

<input type="checkbox"/> analysis	<input type="checkbox"/> enzymology	<input type="checkbox"/> pathology
<input type="checkbox"/> anatomy and histology	<input type="checkbox"/> epidemiology	<input type="checkbox"/> physiology
<input type="checkbox"/> blood	<input type="checkbox"/> ethnology	<input type="checkbox"/> physiopathology
<input type="checkbox"/> cerebrospinal fluid	<input type="checkbox"/> etiology	<input type="checkbox"/> prevention and control
<input type="checkbox"/> chemically induced	<input type="checkbox"/> genetics	<input type="checkbox"/> psychology
<input type="checkbox"/> classification	<input type="checkbox"/> history	<input type="checkbox"/> rehabilitation
<input type="checkbox"/> complications	<input type="checkbox"/> immunology	<input type="checkbox"/> statistics and numerical data
<input type="checkbox"/> diagnosis	<input type="checkbox"/> metabolism	<input type="checkbox"/> surgery
<input type="checkbox"/> diagnostic imaging	<input type="checkbox"/> microbiology	<input type="checkbox"/> therapy
<input type="checkbox"/> diet therapy	<input type="checkbox"/> mortality	<input type="checkbox"/> urine
<input type="checkbox"/> drug therapy	<input type="checkbox"/> nursing	<input type="checkbox"/> veterinary
<input type="checkbox"/> economics	<input type="checkbox"/> organization and administration	<input type="checkbox"/> virology
<input type="checkbox"/> embryology	<input type="checkbox"/> parasitology	

Related information

- PubMed
- PubMed - Major Topic
- Clinical Queries
- NLM MeSH Browser
- MedGen

7. CONSULTER L'HISTORIQUE

NIH National Library of Medicine National Center for Biotechnology Information Log in

PubMed.gov "Nausea"[Mesh:NoExp] Search


Advanced Create alert Create RSS User Guide

Save Email Send to Sorted by: Most recent ▾ Display options

MY NCBI FILTERS

16,021 results


RESULTS BY YEAR



[A kidney transplant recipient with nausea, vomiting, and diarrhea after a recent COVID-19 exposure.](#)

1
Cite Lerner AH, Shu L, Rogers R, Farmakiotis D.
Am J Transplant. 2020 Sep;20(9):2618-2620. doi: 10.1111/ajt.16184.
Share PMID: 32862559 No abstract available.

7. RETOURNER DANS LE THÉSAURUS POUR CHERCHER LES AUTRES DESCRIPTEURS (ÉTAPES 1 À 6)




- Accéder à l'historique puis retourner sur la page d'accueil



PubMed.gov

ACCÉDER AU THÉSAURUS MESH (RAPPEL ÉTAPE 1)



Learn
About PubMed
FAQs & User Guide
Finding Full Text

Find
Advanced Search
Clinical Queries
Single Citation Matcher

Download
E-utilities API
FTP
Batch Citation Matcher

Explore
MeSH Database
Journals
Legacy PubMed (available until at least 10/31/2020)

8. UTILISER L'HISTORIQUE DE RECHERCHE POUR CONSTRUIRE L'ÉQUATION

NIH National Library of Medicine
National Center for Biotechnology Information

PubMed.gov

Search PubMed Search

Advanced

PubMed® comprises more than 30 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

Log in

8. UTILISER L'HISTORIQUE POUR CONSTRUIRE L'ÉQUATION DE RECHERCHE

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#7	...	>	Search: "Acupuncture Therapy" [Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	>	Search: "Acupuncture" [Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women" [Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy" [Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting" [Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea" [Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10

Showing 1 to 6 of 6 entries

9. COMBINER LES DESCRIPTEURS AVEC OR

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#7	...	>	Search: "Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	>	Search: "Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10

Showing 1 to 6 of 6

- Add query
- Delete
- Create alert

9. COMBINER LES DESCRIPTEURS AVEC OR

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#7	...	>	Search: "Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	>	Search: "Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10


Showing 1 to 6 of 6

- Add with AND
- Add with OR
- Add with NOT
- Delete
- Create alert

9. COMBINER LES DESCRIPTEURS AVEC OR

Query box Show Index

("Nausea"[Mesh:NoExp]) OR ("Vomiting"[Mesh])

Search 
Add to History

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#10	...	>	Search: ("Acupuncture"[Mesh]) OR ("Acupuncture Therapy"[Mesh:NoExp])	17,853	04:57:53
#9	...	>	Search: ("Pregnancy"[Mesh]) OR ("Pregnant Women"[Mesh])	897,456	04:57:20
#8	...	>	Search: ("Nausea"[Mesh:NoExp]) OR ("Vomiting"[Mesh])	37,694	04:56:58
#7	...	>	Search: "Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	>	Search: "Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10

10. COMBINER LES ÉTAPES DE RECHERCHE AVEC AND

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#10	...	>	Search: ("Acupuncture"[Mesh]) OR ("Acupuncture Therapy"[Mesh:NoExp])	17,853	04:57:53
#9	...	>	Search: ("Pregnancy"[Mesh]) OR ("Pregnant Women"[Mesh])	897,456	04:57:20
#8	...	>	Search: ("Nausea"[Mesh:NoExp]) OR ("Vomiting"[Mesh])	37,694	04:56:58
#7	...	>	Search: "Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	>	Search: "Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10

10. COMBINER LES ÉTAPES DE RECHERCHE AVEC AND

History and Search Details Download Delete

Search	Actions	Details	Query	Results	Time
#12	...	>	Search: ("Acupuncture"[Mesh]) OR ("Acupuncture Therapy"[Mesh:NoExp])	17,853	05:15:47
#9	...	>	Search: ("Pregnancy"[Mesh]) OR ("Pregnant Women"[Mesh])	897,456	04:57:20
#8	...	Add query	'Nausea"[Mesh:NoExp]) OR ("Vomiting"[Mesh])	37,694	04:56:58
#7	...	Delete	Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	Create alert	Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	>	Search: "Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10


10. COMBINER LES ÉTAPES DE RECHERCHE AVEC AND

History and Search Details Download Delete


Search	Actions	Details	Query	Results	Time
#10	...	>	Search: ("Acupuncture"[Mesh]) OR ("Acupuncture Therapy"[Mesh:NoExp])	17,853	04:57:53
#9	...	Add with AND	'Pregnancy"[Mesh]) OR ("Pregnant Women"[Mesh])	897,456	04:57:20
#8	...	Add with OR	'Nausea"[Mesh:NoExp]) OR ("Vomiting"[Mesh])	37,694	04:56:58
#7	...	Add with NOT	Acupuncture Therapy"[Mesh:NoExp] Sort by: Most Recent	16,831	04:48:46
#6	...	Delete	Acupuncture"[Mesh] Sort by: Most Recent	1,697	04:48:25
#5	...	Create alert	Pregnant Women"[Mesh] Sort by: Most Recent	8,426	04:48:00
#3	...	>	Search: "Pregnancy"[Mesh] Sort by: Most Recent	896,957	04:47:34
#2	...	>	Search: "Vomiting"[Mesh] Sort by: Most Recent	31,361	04:47:11
#1	...	>	Search: "Nausea"[Mesh:NoExp] Sort by: Most Recent	16,021	04:39:10

10. COMBINER LES ÉTAPES DE RECHERCHE AVEC AND

Query box



11. RÉSULTATS



[Advanced](#) [Create alert](#) [Create RSS](#) [User Guide](#)

Sorted by: Best match

MY NCBI FILTERS 

RESULTS BY YEAR



TEXT AVAILABILITY

Abstract

Free full text

Full text

ARTICLE ATTRIBUTE

Associated data

68 results

- Acupuncture treatment of migraine, nausea, and vomiting in pregnancy.**
1 Allais G, Chiarle G, Sinigaglia S, Airola G, Schiapparelli P, Bergandi F, Benedetto C.
Cite *Neurol Sci.* 2019 May;40(Suppl 1):213-215. doi: 10.1007/s10072-019-03799-2.
PMID: 30835003 No abstract available.
Share
- Interventions for treating nausea and vomiting in pregnancy: a network meta-analysis and trial sequential analysis of randomized clinical trials.**
2 Sridharan K, Sivaramkrishnan G.
Cite *Expert Rev Clin Pharmacol.* 2018 Nov;11(11):1143-1150. doi: 10.1080/17512433.2018.1530108. Epub 2018 Oct 5.
Share PMID: 30261764 Review.
- Nausea and Vomiting in Early Pregnancy.**
3 Festin M.
Cite *Am Fam Physician.* 2015 Sep 15;92(6):516-7.
Share PMID: 26371736 **Free article.** No abstract available.

11. RÉSULTATS DÉTAILLÉS

Sorted by: Publication date ↓ Display options

DISPLAY OPTIONS

Format **Abstract**

Sort by **Publication date**

Per page **10**

Show snippets

11. FILTRER LES RÉSULTATS

RESULTS BY YEAR

TEXT AVAILABILITY

- Abstract
- Free full text
- Full text

ARTICLE ATTRIBUTE

- Associated data

ARTICLE TYPE

- Books and Documents
- Clinical Trial
- Meta-Analysis
- Randomized Controlled Trial
- Review
- Systematic Review


PUBLICATION DATE

- 1 year
- 5 years
- 10 years
- Custom Range

68 results

- [Acupuncture treatment of migraine, nausea, and vomiting in pregnancy.](#)
1 Allais G, Chiarle G, Sinigaglia S, Airola G, Schiapparelli P, Bergandi F, Benedetto C.
Cite Neurol Sci. 2019 May;40(Suppl 1):213-215. doi: 10.1007/s10072-019-03799-2.
PMID: 30835003 No abstract available.
Share
- [Interventions for treating nausea and vomiting in pregnancy: a network meta-analysis and trial sequential analysis of randomized clinical trials.](#)
2 Sridharan K, Sivaramakrishnan G.
Cite Expert Rev Clin Pharmacol. 2018 Nov;11(11):1143-1150. doi: 10.1080/17512433.2018.1530108. Epub 2018 Oct 5.
PMID: 30261764 Review.
Share
- [Nausea and Vomiting in Early Pregnancy.](#)
3 Festin M.
Cite Am Fam Physician. 2015 Sep 15;92(6):516-7.
PMID: 26371736 **Free article.** No abstract available.
Share
- [Treatments for Hyperemesis Gravidarum and Nausea and Vomiting in Pregnancy: A Systematic Review.](#)
4 McParlin C, O'Donnell A, Robson SC, Beyer F, Moloney E, Bryant A, Bradley J, Muirhead CR, Nelson-Piercy C, Newbury-Birch D, Norman J, Shaw C, Simpson E, Swallow B, Yates L, Vale L.
Cite JAMA. 2016 Oct 4;316(13):1392-1401. doi: 10.1001/jama.2016.14337.
PMID: 27701665 Review.
Share

12. SAUVEGARDER UNE SÉLECTION D'ARTICLES



Save Email Send to Sorted by: Most recent ↓ Display options

19 results

Clipboard Clear selection

My Bibliography

Collections

Citation manager


1 [Interventions for treating nausea and vomiting in pregnancy; a network meta-analysis and trial sequential analysis of randomized clinical trials.](#)
Cite Sridharan K, Sivaramakrishnan G.
Expert Rev Clin Pharmacol. 2018 Nov;11(11):1143-1150. doi: 10.1080/17512433.2018.1530108. Epub 2018 Oct 5.
Share PMID: 30261764 Review.

2 [\[Bilateral pneumothoraces in a pregnant woman following acupuncture - a case report\].](#)
Cite Valgardsson AS, Gudbjartsson T.
Laeknabladid. 2019 Jan;105(1):19-21. doi: 10.17992/la.2019.01.212.
Share PMID: 30601123 Free article. Icelandic.

3 [Interventions for treating nausea and vomiting in pregnancy; a network meta-analysis and trial sequential analysis of randomized clinical trials.](#)
Cite Sridharan K, Sivaramakrishnan G.
Expert Rev Clin Pharmacol. 2018 Nov;11(11):1143-1150. doi: 10.1080/17512433.2018.1530108. Epub 2018 Oct 5.
Share PMID: 30261764 Review.

4 [Findings and methodological quality of systematic reviews focusing on acupuncture for pregnancy-related acute conditions.](#)

12. RETROUVER UNE SÉLECTION D'ARTICLES



anaizzi

ACCOUNT

Logged in as: **anaizzi**

Dashboard (My NCBI)

Publications (My Bibliography)

Account settings

Log out

Collections

All bibliographies and Other citations are now in [My Bibliography](#)

Collection Name	Items	Settings/Sharing	Type
Favorites	edit 3	Private	Standard
TdeB	edit 2	Private	PubMed

[Manage Collections >](#)

13. RETOURNER SUR PUBMED DEPUIS NCBI

The screenshot displays the 'My Bibliography' page on the NCBI website. It features several panels: 'My Bibliography' (top left) showing 1 item; 'Recent Activity' (middle left) with a table of search history; 'Collections' (top right) showing 'Favorites' and 'Tags'; 'Filters' (middle right) for PubMed; and 'SciENcv' (bottom right) for creating a CV. A footer navigation bar includes 'POPULAR' and 'PubMed' links, both circled in red.

Time	Database	Type	Term
07:54 AM	MeSH	record	Nausea
07:36 AM	MeSH	search	nausea
Yesterday 04:48 AM	MeSH	record	Acupuncture Therapy
Yesterday 04:48 AM	MeSH	search	ACUPUNCTURE THERAPY
Yesterday 04:48 AM	MeSH	record	Acupuncture
Yesterday 04:48 AM	MeSH	search	ACUPUNCTURE
Yesterday 04:47 AM	MeSH	record	Pregnant Women
Yesterday 04:47 AM	MeSH	search	pregnant women
Yesterday 04:47 AM	MeSH	record	Pregnancy
Yesterday 04:47 AM	MeSH	search	PREGNANCY

14. RETROUVER SES RECHERCHES PLUS TARD

The screenshot shows the PubMed.gov homepage. At the top left is the NIH logo and text: 'National Library of Medicine National Center for Biotechnology Information'. At the top right is a 'Log in' button. The main heading is 'PubMed.gov'. Below it is a search bar with the placeholder text 'Search PubMed' and a green 'Search' button. A red circle highlights the 'Advanced' link below the search bar. Below the search bar, there is a paragraph: 'PubMed® comprises more than 30 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.'

14. RETROUVER SES RECHERCHES PLUS TARD

The image shows two screenshots from the NCBI website. The left screenshot shows a user profile for 'anaizzi' with a dropdown menu containing options: 'Dashboard (My NCBI)', 'Publications (My Bibliography)', 'Account settings', and 'Log out'. Green arrows point from the profile to the menu and from the menu to the 'Dashboard' option. The right screenshot shows the 'Recent Activity' window, which is circled in green. It contains a table with columns: Time, Database, Type, and Term. The table lists several search activities from 07:54 AM to 04:47 AM, including terms like 'Nausea', 'nausea', 'Acupuncture Therapy', 'ACUPUNCTURE THERAPY', 'Acupuncture', 'ACUPUNCTURE', 'Pregnant Women', 'pregnant women', 'Pregnancy', and 'PREGNANCY'. At the bottom of the table are links for 'Clear', 'Turn Off', and 'See All Recent Activity »'.

Time	Database	Type	Term
07:54 AM	MeSH	record	Nausea
07:36 AM	MeSH	search	nausea
Yesterday 04:48 AM	MeSH	record	Acupuncture Therapy
Yesterday 04:48 AM	MeSH	search	ACUPUNCTURE THERAPY
Yesterday 04:48 AM	MeSH	record	Acupuncture
Yesterday 04:48 AM	MeSH	search	ACUPUNCTURE
Yesterday 04:47 AM	MeSH	record	Pregnant Women
Yesterday 04:47 AM	MeSH	search	pregnant women
Yesterday 04:47 AM	MeSH	record	Pregnancy
Yesterday 04:47 AM	MeSH	search	PREGNANCY

14. RETROUVER SES RECHERCHES AUTRE SOLUTION

The image shows the process of creating a search alert. The top screenshot shows a search bar with the query 'esh)) AND (("Acupuncture Therapy"[Mesh:noexp]) OR "Acupuncture"[Mesh])' and a 'Search' button. Below the search bar are links for 'Advanced', 'Create alert' (highlighted in yellow), and 'Create RSS'. A green arrow points from the 'Create alert' link to the 'Your saved search' form. The 'Your saved search' form has fields for 'Name of saved search:' (TdeB) and 'Search terms:' ([Mesh:noexp]) OR "Acupuncture"[Mesh]). Below these fields is a 'Test search terms' link. At the bottom of the form is a question 'Would you like email updates of new search results?' with radio buttons for 'Yes' and 'No' (selected and highlighted in yellow). There are 'Save' and 'Cancel' buttons at the bottom. A green arrow points from the 'Save' button to the 'My NCBI' 'Saved Searches' page. The 'My NCBI' page shows a table of saved searches. The table has columns: Search Name, What's New, and Last Searched. The table lists several searches, including 'TdeB', 'Question de recherche 11.12', '(((("Nausea"[Mesh:noexp]) OR "Vomiting"[Mesh]))...', 'Question de recherche TB', and 'Question de recherche TB 1'. Each search has a gear icon, a '0' in the 'What's New' column, and a 'Last Searched' date. At the bottom of the table is a link for 'Manage Saved Searches »'.

Search Name	What's New	Last Searched
TdeB	0	today
Question de recherche 11.12	0	2 months ago
(((("Nausea"[Mesh:noexp]) OR "Vomiting"[Mesh]))...	0	2 months ago
Question de recherche TB	0	2 months ago
Question de recherche TB 1	0	2 months ago